



GOODTIME

TIRES TUBES FLAPS - MANUFACTURER



Veloce

BUTYL TUBES & FLAPS



DOT
ISO 9001

CONTENTS

○ ATV TUBES	1-2
○ SCOOTER TUBES	2-3
○ MOTORCYCLE TUBES	3-7
○ FORK LIFTER TUBES	7-8
○ SKID STEER TUBES	8
○ LAWN MOVER & GARDEN TUBES	8-9
○ TRAILER TUBES	9-10
○ GO KART TUBES	10
○ RADIAL PASSENGER CAR TUBES	10-11
○ RADIAL LIGHT TRUCK AND BUS TUBES	12
○ ULTRA LIGHT TRUCKS	12
○ LIGHT TRUCK AND BUS TUBES	13
○ AG. TRACTOR TUBES	13-16
○ FLAPS	17
○ PACKING FLOW CHART	18
○ VALVE PICTUER	19



ATV TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
145 / 70-6	JS87P	50 / 1.49	31800	20 / 0.81	22900
16*8.00-7	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
8.00R6/7	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
16*6.50-8	TR6, TR13	30 / 1.22	23500	20 / 1.57	12100
18*8.50-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
18*9.50-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
18*10.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
18*11.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
19*7.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
19*8.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
19*9.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
20*7.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
20*8.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
20*10.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
20*11.00-8	TR6, TR13	25 / 1.49	15900	20 / 1.70	11100
21*9.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
21*10.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
21*11.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
21*12.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*9.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*10.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*11.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*12.00-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*12.50-8	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
20*7.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
20*10.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
20*11.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
20*12.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
21*8.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
21*11.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*7.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
22*11.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
23*10.00-9	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
24*11.00-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
24*13.00-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
24*13.5-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*11.00-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*12.00-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*13.00-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*13.5-9	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
18*10.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
18*11.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20*7.50-10	JS2, TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20*8.00-10	JS2, TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20*10.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20*11.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20.5*8.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
20.5*11.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
21*7.00-10	JS2, TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
21*8.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
21*9.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000



ATV TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
22*8.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
22*9.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
23*7.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
23*8.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
23*9.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
25.8.00-10	TR6, TR13	20 / 1.22	15500	20 / 1.90	10000
22*10.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
22*11.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
23*10.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
23*12.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
24*11.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
25*11.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
25*12.00-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
25*13.5-10	TR6, TR13	20 / 1.66	11400	20 / 2.65	7170
23*8.00-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
23*8.50-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
23*9.50-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
23*10.00-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
23*10.50-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
24*8.00-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
24*10.00-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
25*8.00-12	TR6, TR13	20 / 1.49	12700	20 / 2.65	7170
24*12.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*10.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
25*12.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
26*9.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
26*12.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
27*10.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750
27*12.00-12	TR6, TR13	20 / 1.66	11400	20 / 2.82	6750



SCOOTER TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
3.00-8	JS87, JS87C, TR13,TR4	50 / 1.22	38900	50 / 1.66	28550
3.00/3.25-8	JS87, JS87C, TR13,TR4	50 / 1.22	38900	50 / 1.66	28550
3.50-8	JS87, JS87C, TR13,TR4	50 / 1.22	38900	50 / 1.66	28550
3.50/4.00-8	JS87, JS87C, TR13,TR4	50 / 1.22	38900	50 / 1.66	28550



SCOOTER TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
2.50/2.75-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
2.50-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
2.75-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
2.75/3.00-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
3.00-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.78	26600
3.00/3.25-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.78	26600
3.00/3.50-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.78	26600
3.25/3.50-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.50-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.75-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.50/4.00-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
4.00-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
4.00/4.50-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
90/90-10	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.78	26600
100/80-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
100/90-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
110/90-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
120/90-10	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
120-130/90-10	JS87, JS87C, TR13, TR4	50 / 1.66	28550	50 / 2.07	22900
130/90-10	JS87, JS87C, TR13, TR4	50 / 1.66	28550	50 / 2.07	22900
140/90-10	JS87, JS87C, TR13, TR4	50 / 1.78	26600	50 / 2.61	18100
145/90-10	JS87, JS87C, TR13, TR4	50 / 1.78	26600	50 / 2.61	18100
2.50/2.75-12	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
70/100-12	JS87, JS87C, TR13, TR4	50 / 1.22	38900	50 / 1.66	28550
80/100-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
2.75/3.00-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.00-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.50-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
90/100-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.07	22900
120/70-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.61	18100
130/60-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.61	18100
130/70-12	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.61	18100
130/60-13	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.61	18100
130/70-13	JS87, JS87C, TR13, TR4	50 / 1.49	31800	50 / 2.61	18100
140/60-13	JS87, JS87C, TR13, TR4	20 / 1.22	15500	20/1.70	11100



MOTORCYCLE TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
2.25-14	TR4	50 / 1.22	38900	50 / 1.66	28550
2.25/2.50-14	TR4	50 / 1.22	38900	50 / 1.66	28550
2.50-14	TR4	50 / 1.22	38900	50 / 1.66	28550
2.50/2.75-14	TR4	50 / 1.22	38900	50 / 1.66	28550
2.25/2.75-14	TR4	50 / 1.22	38900	50 / 1.66	28550
2.75-14	TR4	50 / 1.22	38900	50 / 1.78	26600



MOTORCYCLE TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
2.75/3.00-14	TR4	50 / 1.22	38900	50 / 1.78	26600
3.00-14	TR4	50 / 1.22	38900	50 / 1.78	26600
80/100-14	TR4	50 / 1.22	38900	50 / 1.78	26600
3.00/4.10-14	TR4	50 / 1.49	31800	50 / 1.78	26600
3.25/3.50-14	TR4	50 / 1.49	31800	50 / 1.78	26600
3.25-14	TR4	50 / 1.49	31800	50 / 1.78	26600
3.50-14	TR4	50 / 1.49	31800	50 / 1.78	26600
3.50/4.00-14	TR4	50 / 1.49	31800	50 / 1.78	26600
3.60/4.10-14	TR4	50 / 1.49	31800	50 / 1.78	26600
4.00-14	TR4	50 / 1.49	31800	50 / 1.78	26600
4.10-14	TR4	50 / 1.49	31800	50 / 1.78	26600
60/100/14	TR4	50 / 1.22	38900	50 / 1.66	28550
90/100-14	TR4	50 / 1.49	31800	50 / 1.78	26600
140/90-15	TR4	20 / 1.49	12700	20 / 1.70	11100
150/80-15	TR4	50 / 1.49	31800	50 / 1.78	26600
150/90-15	TR4	50 / 1.49	31800	50 / 1.78	26600
2.75/3.00-15	TR4	20 / 1.22	15500	20 / 1.70	11100
3.00/3.25-15	TR4	50 / 1.22	38900	50 / 1.66	28550
130/90-15	TR4	50 / 1.22	38900	50 / 1.66	28550
2.00/2.25-16	TR4	50 / 1.22	38900	50 / 1.66	28550
2.25/2.50-16	TR4	50 / 1.49	31800	50 / 1.78	26600
2.25-16	TR4	50 / 1.49	31800	50 / 1.78	26600
2.50/2.75-16	TR4	50 / 1.49	31800	50 / 1.78	26600
2.50-16	TR4	50 / 1.49	31800	50 / 1.78	26600
2.75/3.00-16	TR4	50 / 1.49	31800	50 / 1.78	26600
2.75-16	TR4	50 / 1.49	31800	50 / 1.78	26600
3.00-16	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-16	TR4	50 / 1.49	31800	50 / 2.07	22900
3.25-16	TR4	50 / 1.49	31800	50 / 2.07	22900
3.25/3.50-16	TR4	50 / 1.49	31800	50 / 2.07	22900
3.50-16	TR6	50 / 1.66	28550	50 / 2.61	18100
3.50/4.00-16	TR6	50 / 1.66	28550	50 / 2.61	18100
3.50-3.75-16	TR6	50 / 1.66	28550	50 / 2.61	18100
3.75/4.00-16	TR6	50 / 1.66	28550	50 / 2.61	18100
4.00-16	TR6	50 / 1.66	28550	50 / 2.61	18100
4.00/4.50-16	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.60-16	TR6	20 / 1.22	15500	20 / 1.29	14700
4.60-16	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.60-16	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50/5.10-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00/5.10-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.10-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.30-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.50-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00/5.30-16	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00-5.50-16	TR6	20 / 1.49	12700	20 / 1.70	11100
90/100-16	TR6	50 / 1.66	28550	50 / 2.61	18100
100/80-16	TR4	50 / 1.49	31800	50 / 2.07	22900
110/80-16	TR6	50 / 1.66	28550	50 / 2.61	18100



MOTORCYCLE TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
120/90-16	TR6	50 / 1.66	28550	50 / 2.61	18100
130/90-16	TR6	20 / 1.22	15500	20 / 1.29	14700
150/80-16	TR6	20 / 1.49	12700	20 / 1.70	11100
90/90-16	TR4	50 / 1.49	31800	50 / 2.07	22990
2.00-17	TR4	50 / 1.22	38900	50 / 1.79	26500
2.25-17	TR4	50 / 1.22	38900	50 / 1.79	26500
2.25/2.50-17	TR4	50 / 1.22	38900	50 / 1.79	26500
2.50-17	TR4	50 / 1.49	31800	50 / 1.79	26500
2.50/2.75-17	TR4	50 / 1.49	31800	50 / 1.79	26500
2.75-17	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75/3.00-17	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00-17	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-17	TR4	50 / 1.49	31800	50 / 2.07	22900
3.25-17	TR4	50 / 1.66	28550	50 / 2.07	22900
3.25/3.50-17	TR4	50 / 1.66	28550	50 / 2.07	22900
3.50-17	TR6	50 / 1.66	28550	50 / 2.61	18100
3.50/4.00-17	TR6	50 / 1.66	28550	50 / 2.61	18100
4.00-17	TR6	50 / 1.66	28550	50 / 2.61	18100
4.10-17	TR6	50 / 1.66	28550	50 / 2.61	18100
4.00/4.50-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.60-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.50-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.60-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50/4.75-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.60-17	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50/5.10-17	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00/5.30-17	TR6	20 / 1.49	12700	20 / 1.70	11100
5.00-17	TR6	20 / 1.49	12700	20 / 1.70	11100
5.10-17	TR6	20 / 1.49	12700	20 / 1.70	11100
5.30-17	TR6	20 / 1.49	12700	20 / 1.70	11100
100/80-17	TR4	50 / 1.66	28550	50 / 2.07	22900
110/80-17	TR6	50 / 1.66	28550	50 / 2.61	18100
70/100-17	TR4	50 / 1.49	31800	50 / 2.07	22900
130/70-17	TR6	50 / 1.78	26600	50 / 2.61	18100
130/80-17	TR6	50 / 1.78	26600	50 / 2.61	18100
130/90-17	TR6	20 / 1.22	15500	20 / 1.29	14700
140/70-17	TR6	50 / 1.78	26600	50 / 2.61	18100
90/80-17	TR4	50 / 1.49	31800	50 / 2.07	22900
90/90-17	TR4	50 / 1.66	28550	50 / 2.07	22900
2.25-18	TR4	50 / 1.22	38900	50 / 1.79	26500
2.25/2.50-18	TR4	50 / 1.22	38900	50 / 1.79	26500
2.50-18	TR4	50 / 1.49	31800	50 / 1.79	26500
2.50/2.75-18	TR4	50 / 1.49	31800	50 / 1.79	26500
2.75-18	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75-3.00-18	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00-18	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-18	TR4	50 / 1.49	31800	50 / 2.07	22900
3.25-18	TR4	50 / 1.66	28550	50 / 2.07	22900
3.25/3.50-18	TR4	50 / 1.66	28550	50 / 2.07	22900



MOTORCYCLE TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
3.50-18	TR6	50 / 1.66	28550	50 / 2.61	18100
3.50/4.00-18	TR6	50 / 1.78	26600	50 / 2.61	18100
4.00-18	TR6	50 / 1.78	26600	50 / 2.61	18100
4.10-18	TR6	50 / 1.78	26600	50 / 2.61	18100
4.00/4.50-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.60-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.60-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.50-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.25-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.60-18	TR6	20 / 1.22	15500	20 / 1.29	14700
4.50/4.75-18	TR6	20 / 1.22	15500	20 / 1.29	14700
100/100-18	TR6	50 / 1.78	26600	50 / 2.61	18100
110/100-18	TR6	50 / 1.78	26600	50 / 2.61	18100
100/90-18	TR4	50 / 1.66	28550	50 / 2.61	18100
110/90-18	TR6	50 / 1.78	26600	50 / 2.61	18100
120/80-18	TR6	50 / 1.78	26600	50 / 2.61	18100
120/90-18	TR6	50 / 1.78	26600	50 / 2.61	18100
130/90-18	TR6	20 / 1.22	15500	20 / 1.29	14700
120/100-18	TR6	20 / 1.22	15500	20 / 1.29	14700
90/90-18	TR4	50 / 1.66	28550	50 / 2.07	22900
2.00-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.00/2.50-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.25/2.50-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.25-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.50-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.50/2.75-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75-19	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75/3.00-19	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00-19	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-19	TR4	50 / 1.49	31800	50 / 2.07	22900
3.25-19	TR4	50 / 1.66	28550	50 / 2.61	18100
3.25/3.50-19	TR4	50 / 1.66	28550	50 / 2.61	18100
3.50-19	TR6	50 / 1.78	26600	50 / 2.61	18100
3.75-19	TR6	50 / 1.78	26600	50 / 2.61	18100
3.50/4.00-19	TR6	50 / 1.78	26600	50 / 2.61	18100
4.00-19	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.50-19	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00/4.60-19	TR6	20 / 1.22	15500	20 / 1.29	14700
4.25/4.60-19	TR6	20 / 1.22	15500	20 / 1.29	14700
4.60-19	TR6	20 / 1.22	15500	20 / 1.29	14700
100/90-19	TR6	50 / 1.60	28550	50 / 2.61	18100



MOTORCYCLE TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON		BOX+CARTON	
		PCS / CFT	PCS / 20'	PCS / CFT	PCS / 20'
100/110-19	TR6	50 / 1.78	26600	50 / 2.61	18100
110/90-19	TR6	50 / 1.78	26600	50 / 2.61	18100
120/90-19	TR6	50 / 1.78	26600	50 / 2.61	18100
70/100-19	TR6	50 / 1.49	31800	50 / 2.07	22900
90/90-19	TR4	50 / 1.66	28550	50 / 2.61	18100
90/100-19	TR6	50 / 1.78	26600	20 / 1.02	18600
90/100-20	TR6	50 / 1.78	26600	20 / 1.02	18600
2.25-21	TR4	50 / 1.49	31800	50 / 2.07	22900
2.25/2.50-21	TR4	50 / 1.49	31800	50 / 2.07	22900
2.50-21	TR4	50 / 1.49	31800	50 / 2.07	22900
2.50/2.75-21	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75-21	TR4	50 / 1.49	31800	50 / 2.07	22900
2.75/3.00-21	TR4	50 / 1.49	31800	50 / 2.07	22900
3.00-21	TR6	50 / 1.49	31800	50 / 2.07	22900
3.00/3.25-21	TR6	50 / 1.78	26600	50 / 2.07	22900
3.25-21	TR6	50 / 1.78	26600	50 / 2.07	22900
3.25/3.50-21	TR6	50 / 1.78	26600	50 / 2.07	22900
3.50-21	TR6	20 / 1.22	15500	20 / 1.29	14700
3.50/4.00-21	TR6	20 / 1.22	15500	20 / 1.29	14700
4.00-21	TR6	20 / 1.22	15500	20 / 1.29	14700
100/90-21	TR6	20 / 1.22	15500	20 / 1.29	14700
80/100-21	TR6	50 / 1.49	31800	50 / 2.07	22900
80/90-21	TR4	50 / 1.49	31800	50 / 2.07	22900
90/90-21	TR6	50 / 1.49	31800	50 / 2.07	22900



FORK LIFTER TUBES

SIZE	APPLIED VALVES	BOX+CARTON	
		PCS / CFT	PCS / 20'
4.00-8	JS2	50 / 1.22	38900
15*4 1/2-8	JS2	50 / 1.22	38900
5.00-8	JS2	50 / 1.66	28550
16*6.00-8	JS2	30 / 1.22	23350
18*7.00-8	JS2	30 / 1.22	23350
18*9.00-8	JS2	25 / 1.49	15900
6.00-9	JS2, TR440, TR75A	20 / 1.49	12700
21*8.00-9	JS2, TR440, TR75A	20 / 1.49	12700
6.50-10	JS2, TR440, TR75A	20 / 1.49	12700
7.50-10	JS2, TR440, TR75A	20 / 1.49	12700
23*8.00-10	JS2, TR440, TR75A	20 / 1.22	15500
23*9.00-10	JS2, TR440, TR75A	20 / 1.22	15500
23*10.00-12	JS2, TR440, TR75A	20 / 1.49	12700
27*10.00-12	JS2, TR440, TR75A	20 / 1.66	11400
7.00-12	JS2, TR440, TR75A	20 / 1.66	11400
2.50-15	JS2, TR440, TR75A	18 / 1.66	10296
250/3.00-15	TR75A, TR77A, TR442	18 / 1.66	10296



FORK LIFTER TUBES

SIZE	APPLIED VALVES	BOX+CARTON	
		PCS / CFT	PCS / 20'
25*7.50-15	TR75A, TR440	20 / 1.66	11400
27*9.00-15	TR75A, TR440	20 / 1.66	11400
29*8.00-15	TR75A, TR440	20 / 1.66	11400
7.00-15(30*8.0-15)	TR75A, TR440	20 / 1.78	10600
7.50-15	TR75A, TR440	20 / 1.78	10600
8.15-15(28*9.0-15)	TR75A, TR440	20 / 1.66	11400
8.25-15	TR75A, TR440	18 / 1.66	10296
8.25-20	TR75A	12 / 1.66	7020
9.00-20	TR75A, TR78A	10 / 1.66	5850
10.00-20	TR78A	9 / 1.66	5265
12.00-20	TR78A	6 / 1.66	3510
12.00-24	TR78A	4 / 1.66	2340



SKID TEER TUBES

SIZE	APPLIED VALVES	BOX+CARTON	
		PCS / CFT	PCS / 20'
23*8.50-12	TR15,JS2	20 / 1.49	12760
27*8.50-15	TR75A	20 / 1.66	11460
10-16.5	TR75A,TR177A	18 / 1.66	10300
12-16.5	TR75A,TR177A	16 / 1.66	9360



LAWN MOVER & GADEN TUBES

SIZE	APPLIED VALVES	BOX+CARTON	
		PCS / CFT	PCS / 20'
2.80/2.50-4	JS87,JS87P,DIN777	60 / 0.80	71250
8/3.00-4	JS87,JS87P,DIN777	50 / 0.80	59300
2.50/3.00-4	JS87,JS87P,DIN777	60 / 0.80	71250
3.00-4(260*85)	JS87,JS87P,DIN777	50 / 0.80	59300
9*3.50-4	JS87,JS87P,DIN777	50 / 0.80	59300
11*4.00-4	JS87,JS87P,DIN777	50 / 1.22	38900
4.00-4(300*100)	JS87,JS87P,DIN777	50 / 1.22	38900
4.10/3.50-4	JS87,JS87P,DIN777	50 / 1.22	38900
200*50	DIN7768,WH767	100 / 1.22	77800
11*4.00-5	TR13,JS87	50 / 1.22	38900
4.10/3.50-5	TR13,JS87	50 / 1.22	38900
2.50-6	TR13,JS87	50 / 0.80	59300
4.00-6	TR13,JS87	50 / 1.22	38900
4.10/3.50-6	TR13,JS87	50 / 1.22	38900
13*5.00-6	TR13,JS87	50 / 1.49	31800
13*6.50-6	TR13,JS87	50 / 1.49	31800



LAWN MOVER & GARDEN TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
145/70-6	TR13,JS87	50 / 1.49	31800
5.30/4.50-6	TR13,JS87	50 / 1.49	31800
15*6.00-6	TR13,JS87	50 / 1.49	31800
8.00-6/7	TR6, TR13, JS87	20 / 1.22	15500
2.50/3.00-8	TR13, JS87	50 / 1.22	38900
2.75/3.00-8	TR13, JS87	50 / 1.22	38900
3.00-8(13*3/3.00-8)	TR13, JS87	50 / 1.22	38900
3.50/4.00-8	TR13, JS87	50 / 1.22	38900
4.00-8	TR13, JS87	50 / 1.22	38900
4.00-8	TR13, JS87	50 / 1.22	38900
4.80/4.00-8	TR13, JS87	50 / 1.22	38900
16*6.50/7.50-8	TR6, TR13, JS87	30 / 1.22	23500
16*8.00-8	TR6, TR13, JS87	30 / 1.22	23500
18*6.50-8	TR6, TR13, JS87	30 / 1.22	23500
18*8.50/9.50-8	TR6, TR13, JS87	25 / 1.49	15900
20*8.00-8	TR6, TR13, JS87	25 / 1.49	15900
20*10.00-8	TR6, TR13, JS87	25 / 1.49	15900
20*8.00-10	TR6, TR13, JS87	20 / 1.22	15500
21*8.50-12	TR6, TR13, JS87	20 / 1.49	12700
23.9.50-12	TR6, TR13, JS87	20 / 1.49	12700
23*10.50-12	TR6, TR13, JS87	20 / 1.49	12700
26*12.00-12	TR6, TR13, JS87	20 / 1.66	11400



TRAILER TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
16.5*6.50-8	TR13	30 / 1.22	23500
18.5*8.50-8	TR13	50 / 1.78	26600
3.00/3.50-8	TR13,JS87	50 / 1.22	38900
3.50/4.00-8	TR13,JS87	50 / 1.22	38900
4.80/4.00-8	TR13,JS87	50 / 1.22	38900
5.70/5.00-8	TR13,JS87	50 / 1.66	28600
6.90/6.00-8	JS2,TR13,TR15,JS87C	20 / 1.49	12700
4.00-10	TR13	50 / 1.49	31800
4.50-10	TR13	50 / 1.66	28600
5.00-10	TR13	50 / 1.78	26600
145-10	TR13	50 / 1.78	26600
20.5*8.00-10	TR13	20 / 1.22	15500
4.80/4.00-12	TR13	50 / 1.49	31800
5.30/4.50-12	TR13	20 / 1.22	15500
B78-13	TR13	20 / 1.49	12700
185/80-13(C78-13)	TR13	20 / 1.49	12700
E78-14	TR13	20 / 1.66	11400
F78-14	TR13	20 / 1.66	11400
7-14.5	TR13,TR15	20 / 1.66	11400
8-14.5	TR13,TR15	20 / 1.66	11400



TRAILER TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
F78-15	TR13, TR15	20 / 1.78	10600
G78-15	TR13, TR15	20 / 1.78	10600
H78-15	TR13, TR15	18 / 1.66	10296



GO KART TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
4.10/3.50-4	JS87	50 / 1.22	38900
11*7.00-4	JS87	50 / 1.49	32000
9*3.50-4	JS87	50 / 0.80	59300
10*4.50-5	JS87	50 / 1.22	38900
11*3.60-5	JS87	50 / 1.22	38900
11*4.50-5	JS87	50 / 1.22	38900
11*6.50-5	JS87	50 / 1.49	31800
11*7.10-5	JS87	50 / 1.49	31800
12*4.00-5	TR13	50 / 1.22	38900
12*4.00-5	JS87	50 / 1.22	38900
3.40/3.50-5	JS87	50 / 1.22	38900
4.10/3.50-5	JS87	50 / 1.22	38900
12*6.00-6	TR13	50 / 1.49	31800
12*6.00-6	JS87	50 / 1.49	31800
13*4.00-6	JS87	50 / 1.22	38900
13*5.00-6	TR13	50 / 1.49	31800
13*5.00-6	JS87	50 / 1.49	31800
15*6.00-6	JS87	50 / 1.49	31800
4.10/3.50-6	JS87	50 / 1.22	39800
16*6.50-8	TR13	30 / 1.22	23500
18*9.50-8	TR13	25 / 1.49	15900



RADIAL PASSENGER CAR TUBES

588 CARTONS/20'FT

GROUP	SIZE	APPLIED VALVES	POLY BAG+CARTON	
			PCS / CARTON/CFT	PCS / 20'
ER10	145R, GR, ER, FR10 125R, 135R, 145R	TR13, JS87C	50 / 1.66	29,250
DR12	145/75R, 135/145R, 140/60R 155/70R12, DR12/13/14 ER12, 145/155R	TR13	50 / 1.66	29,250
ER12	140/155R, 155R, 155/80R, 165/80R, 155/165R, 175/70R12	TR13	48 / 1.66	28,080
FR12	FR12, FR12/13	TR13	48 / 1.66	28,080



RADIAL PASSENGER CAR TUBES

588 CARTONS/20'FT

GROUP	SIZE	APPLIED VALVES	POLY BAG+CARTON	
			PCS/CARTON/CFT	PCS / 20'
ER13	135R, 145R, 140/155R 135/145R, 145/70R, 155/65R 155/70R13	TR13	48 / 1.66	28,080
FR13	155R, 165R, 145/155R 155/165R, 165/65R, 165/70R 175/70R13, 165/175R, AR70-13 FR155/165R13, FR13/14	TR13	40 / 1.66	23,400
GR13	175R, 185R, 185/70R 175/185R, 195/70R13 BR78-13, CR78-13	TR13	38 / 1.66	22,230
ER14	135R, 145R, 155R, 165R 145/70R, 155/70R, 165/70R 135/145R, 155/165R14 BR78-14	TR13	35 / 1.66	20,475
FR14	175/185R, 175R, 185/75R 180/80R, 185/70R, 165/175R 180/70R, 175/70R, 185/65R14	TR13	32 / 1.66	18,720
GR14	CR78-14, DR78-14 GR13/14/15, 195/70R14 185/195R, 195R, 185R14	TR13 TR13	32 / 1.66 25 / 1.66	18,720 14,625
KR14	195/205R14, 205R, 205/65R, 205/70R, 215/70R 215R, 215/75R, 225/70R, 225/75R, 235/70R, 235/75R15 KR14/15, MR14/15, F78-14 ER70-14, FR70-14, G78-14	TR13, TR15	20 / 1.66	11,700
DR15	125R15	TR13, TR15	35 / 1.66	20,475
ER15	135R, 145R, 140/70R, 145/70R 155/70R, 165/70R, 140/150R 145/155R15	TR13, TR15	30 / 1.66	17,550
FR15	155R, 165R, 155/165R, 160R 165/70R, 175/70R15	TR13, TR15	25 / 1.66	14,625
GR15	175R, 185R, 6.00R, 185/70R 185/65R, 170/180R, 175/185R 185/75R, 185/195R, 195/65R 195/70R15	TR13, TR15	25 / 1.66	14,625
KR15	195R, 200R, 205R, 215R, 215/95R 205/225R, 195/205R, HR78-15 215/225/H78R15, 215/90R15 FR70-15, GR78-15, F78-15	TR13, TR15	20 / 1.66	11,700
MR15	225R15	TR13, TR15	18 / 1.66	10,530
FR16	FR16	TR13, TR15	25 / 1.66	14,625
GR16	175R, 185R, 195R, 175/85R 185/195R, 6.00/6.50R16 185/75R16, GR/KR16	TR13, TR15	20 / 1.66	11,700
KR16	205R, 195/205R, 235/85R, 205/80R 215/80R, 10.5/65R, 215R 225/75R, 235/70R, 235/80R16	TR13, TR15	20 / 1.66	11,700
MR16	225R, 235R, 240R16	TR13, TR15	18 / 1.66	10,530

RADIAL LIGHT TRUCK AND BUS TUBES

588 CARTONS/20'FT



SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS/CARTON/CFT	PCS / 20'
5.00R13	TR13	40 / 1.66	23400
5.60R13	TR13	40 / 1.66	23400
6.00R13	TR13	38 / 1.66	22230
6.00R14	TR13, TR15	32 / 1.66	18720
6.50R14	TR13, TR15	25 / 1.66	14625
7.50R14	TR15, TR17A	20 / 1.66	11700
6.00R15	TR13, TR15	25 / 1.66	14625
6.50R15	TR13, TR15	20 / 1.66	11700
7.00R15	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
7.50R15	TR75A, TR177A	20 / 1.66	11700
8.15R15	TR15, TR75A	20 / 1.66	11700
8.25R15	TR15, TR75A	18 / 1.66	10530
8.50R15	TR77A	18 / 1.66	10530
6.00R16	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
6.50R16	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
7.00R16	TR15, TR75A, TR177A	20 / 1.66	11700
7.50R16	TR15, TR75A, TR177A, V3-02-8	20 / 1.66	11700
8.25R16	TR75A, TR177A	18 / 1.66	10530
8.50R16	TR75A, TR177A	16 / 1.66	9360
9.00R16	TR75A, TR177A	16 / 1.66	9360
6.50R20	TR15, TR75A, TR177A	12 / 1.66	7020
7.50R20	TR15, TR75A, TR177A	12 / 1.66	7020
8.25R20	TR15, TR75A, TR177A	12 / 1.66	7020
8.50R20	TR15, TR75A, TR177A	12 / 1.66	7020
9.00R20	TR78A, TR175A, TR443	10 / 1.66	5850
10.00R20	TR78A, TR175A, TR444	9 / 1.66	5265
11.00R20	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
12.00R20	TR78A, TR179A, V3-02-14	6 / 1.66	3510
13.00R20	TR78A, TR179A, V3-02-14	4 / 1.66	2340
11.00R22	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
11.00R22.5	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
12.00R24	TR78A	4 / 1.66	2340

ULTRA LIGHT TRUCK

588 CARTONS/20'FT



GROUP	SIZE	APPLIED VALVES	POLY BAG+CARTON	
			PCS/CARTON/CFT	PCS / 20'
E-10	4.80, 5.00, 5.20, 5.90, 5.00/5.20-10	TR13, JS87C	50 / 1.66	29,250
D-12	4.50, 5.00, 4.50/5.00, 4.50/5.10	TR13, JS87C	50 / 1.66	29,250
D-12	4.50/5.70, 5.30/4.50, 5.00/5.50-12	TR13, JS87C	50 / 1.66	29,250
E-12	5.30, 5.50, 5.60, 5.90, 5.00/6.00-12	TR13	48 / 1.66	28,080
F-12	6.00, 6.20-12	TR13	48 / 1.66	28,080
E-12	5.20-13	TR13	48 / 1.66	28,080



LIGHT TRUCK AND BUS TUBES

588 CARTONS/20'FT

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS/CARTON/CFT	PCS / 20'
5.30-13	TR13	40 / 1.66	23400
5.60-13	TR13	40 / 1.66	23400
5.90-13	TR13	38 / 1.66	22230
6.00-13	TR13	38 / 1.66	22230
6.15-13	TR13	38 / 1.66	22230
6.00-14	TR13, TR15	32 / 1.66	18720
6.50-14	TR13, TR15	25 / 1.66	14625
7.50-14	TR15, TR75A	20 / 1.66	11700
8.15-14	TR15, TR75A	20 / 1.66	11700
6.00-15	TR13, TR15	25 / 1.66	14625
6.50-15	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
7.00-15	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
7.50-15	TR13, TR15, TR75A, TR177A	20 / 1.66	11700
8.15-15	TR15, TR75A	20 / 1.66	11700
8.25-15	TR15, TR75A	18 / 1.66	10530
8.50-15	TR15, TR77A	18 / 1.66	10530
9.00-15	TR77A	18 / 1.66	10530
6.00-16	TR13, TR15, TR75A	20 / 1.66	11700
6.50-16	TR13, TR15, TR75A	20 / 1.66	11700
7.00-16	TR15, TR75A, TR177A	20 / 1.66	11700
7.50-16	TR15, TR75A, TR177A, V3-02-8	20 / 1.66	11700
8.25-16	TR75A, TR177A	18 / 1.66	10530
8.50-16	TR75A, TR177A	16 / 1.66	9360
9.00-16	TR75A, TR177A	16 / 1.66	9360
6.50-20	TR13, TR15, TR75A, TR177A	12 / 1.66	7020
7.50-20	TR15, TR75A, TR177A	12 / 1.66	7020
8.25-20	TR15, TR75A, TR177A	12 / 1.66	7020
8.50-20	TR15, TR75A, TR177A	12 / 1.66	7020
9.00-20	TR78A, TR175A, TR443	10 / 1.66	5820
10.00-20	TR78A, TR175A, TR44	9 / 1.66	5265
11.00-20	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
12.00-20	TR78A, TR179A, V3-02-14	6 / 1.66	3510
13.00/14.00-20	TR78A, TR179A, V3-02-14	4 / 1.66	2340
13.00-20	TR78A, TR179A, V3-02-14	4 / 1.66	2340
14.00-20	TR78A, TR179A, V3-02-14	4 / 1.66	2340
11.00-22	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
11.00-22.5	TR78A, TR179A, TR444, V3-02-14	7 / 1.66	4095
12.00-24	TR78A	4 / 1.66	2340



AG.TRACTOR TUBES

SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
4.00-4	TR13, JS87	50 / 1.22	38900
13*5.00-6	TR13, JS87	50 / 1.49	31800
3.50-6	TR13, JS87	50 / 1.22	38900
4.00-6	TR13, JS87	50 / 1.22	38900
4.10-6	TR13, JS87	50 / 1.22	38900



SIZE	APPLIED VALVES	POLY BAG+CARTON	
		PCS / CFT	PCS / 20'
3.50-8	TR13, JS87	50 / 1.22	38900
4.00-8	TR13, JS87	50 / 1.22	38900
4.80-8	TR13, JS87	50 / 1.22	38900
4.80/4.00-8/9	TR13, JS87	50 / 1.22	38900
16*6.50-8	TR13, JS87	30 / 1.22	23500
16*7.50-8	TR13, JS87	30 / 1.22	23500
4.00-10	TR13, JS87C	50 / 1.49	31800
4.50-10	TR13, JS87C	50 / 1.66	28600
5.00-10	TR13, JS87C	50 / 1.78	26600
9.00-10	TR150, TR218A	20 / 1.66	11460
9.5L-10	TR150, TR218A	20 / 1.66	11460
23*8.50-12	TR13, TR13CW	20 / 1.49	12700
23*9.50-12	TR13, TR13CW	20 / 1.49	12700
23*10.50-12	TR13, TR13CW	20 / 1.49	12700
23*8.50-12	TR13, TR13CW	20 / 1.49	12700
4.00-12	TR13, JS87C	50 / 1.49	31800
4.50-12	TR13, TR13CW	50 / 1.49	31800
4.80-12	TR13, TR13CW	50 / 1.49	31800
5.00-12	TR13, TR13CW	20 / 1.22	15500
5.30-12	TR13, TR13CW	20 / 1.22	15500
6.00-12	TR13, TR15	20 / 1.22	15500
6.5/80-12	TR13, TR15	20 / 1.22	15500
7.00-12	TR13, TR15	20 / 1.66	11400
5.50-12	TR13, TR15	20 / 1.22	15500
4.00-14	TR13, TR15	50 / 1.49	31800
6.00-14	TR13, TR15	20 / 1.49	12700
7/7.50/7.5L/8/ 8.5L/9.5L-14/15	TR13, TR15	20 / 1.66	11400
11L-14	TR13, TR13CW	16 / 1.66	9168
11L-15	TR15, TR15CW, TR218A	16 / 1.66	9168
250/65-14.5	TR15, TR15CW, TR218A	18 / 1.66	10314
27*8.50-15	TR15, TR15CW	20 / 1.66	11400
27*9.50-15	TR15, TR15CW	20 / 1.66	11400
27*10.50-15	TR15, TR15CW	20 / 1.66	11400
4.00-15	TR13, TR15	20 / 1.22	15500
5.00-15	TR13, TR15	20 / 1.49	12700
5.50-15	TR13, TR15	20 / 1.49	12700
5.90-15	TR13, TR15	20 / 1.49	12700
6.00-15	TR13, TR15	20 / 1.49	12700
6.40-15	TR13, TR15	20 / 1.49	12700
6.50-15	TR13, TR15	20 / 1.78	10600
6.70-15	TR13, TR15	20 / 1.78	10600
7.00-15	TR13, TR15	20 / 1.78	10600
7.50-15	TR13, TR15	20 / 1.78	10600
7.60-15	TR13, TR15	20 / 1.78	10600
6.5/80-15	TR13, TR15	20 / 1.49	12700
8.50-15	TR15, TR15CW	18 / 1.66	10296
9.00-15	TR15, TR15CW	18 / 1.66	10296
10.0/75-15.3	TR15, TR15CW	18 / 1.66	10296



AG. TRACTOR TUBES

SIZE	APPLIED VALVES	POLY BAG + CARTON	
		PCS / CFT	PCS / 20'
31*10.50R15	TR15, TR15CW	18 / 1.66	10296
10.00-15	TR15, TR218A, TR444, TR15CW	16 / 1.66	9360
11.00-15	TR15, TR218A, TR444, TR15CW	16 / 1.66	9360
12.5L-15	TR15, TR15CW, TR218A	16 / 1.66	9360
31*13.5-15	TR218A	16 / 1.66	9360
11.00/12.00-15	TR15, TR218A, TR15CW	12 / 1.66	7020
10.0/65-16	TR13, TR15	18 / 1.66	10296
4.00-16	TR13, TR15	50 / 1.66	28550
4.50-16	TR13, TR15	20 / 1.22	15500
5.00-16	TR13, TR15	20 / 1.49	12700
5.50-16	TR13, TR15	20 / 1.49	12700
5.90-16	TR13, TR15	20 / 1.66	11400
6.00-16	TR13, TR15	20 / 1.66	11400
6.40-16	TR13, TR15	20 / 1.66	11400
6.50-16	TR15, TR75A	20 / 1.66	11400
6.70-16	TR15, TR75A	20 / 1.66	11400
7.00-16	TR15, TR75A	20 / 1.66	11400
7.50-16	TR15, TR75A	20 / 1.66	11400
7.60-16	TR15, TR75A	20 / 1.66	11400
8.25-16	TR13, TR15, TR75A	18 / 1.66	10296
9.5L-16	TR218A	18 / 1.66	10296
10-16.5	TR13, TR15, TR75A	18 / 1.66	10296
8.5-16	TR75A, TR177A, TR150, TR15CW	16 / 1.66	9088
9.00-16	TR75A, TR177A, TR150, TR15CW	16 / 1.66	9088
10.00-16	TR75A, TR177A, TR150, TR15CW	16 / 1.66	9088
10.5-16	TR75A, TR177A	16 / 1.66	9088
11L-16	TR218A	16 / 1.66	9088
11.00-16	TR218A, TR15CW	12 / 1.66	7020
12.4-16	TR218A	12 / 1.66	7020
12.5L-16	TR15, TR15CW, TR218A	12 / 1.66	7020
4.00-18	TR15	50 / 1.78	26600
6.50-17/18	TR15, TR218A	15 / 1.66	8775
7.00-18	TR15, TR218A	15 / 1.66	8775
7.50-18	TR15, TR218A	15 / 1.66	8775
8.00-18	TR15, TR218A	15 / 1.66	8775
10.5/80-18	TR15, TR218A	15 / 1.66	8775
10.5-18	TR13, TR15	10 / 1.66	5850
12.5-18	TR13, TR15	10 / 1.66	5850
10.5/80-19/20	TR13, TR15	10 / 1.66	5850
8.3/12.5-19	TR13, TR15	10 / 1.66	5850
4.00-19	TR13, TR15	50 / 1.78	26600
4.50-19	TR13, TR15	20 / 1.22	15500
6.00-19	TR13, TR15	15 / 1.66	8775
6.50-19	TR13, TR15	15 / 1.66	8775
7.50-20	TR13, TR15	12 / 1.66	7020
8.25-20	TR13, TR15	12 / 1.66	7020
8.30-20	TR13, TR15	12 / 1.66	7020
9.00-20	TR15, TR15CW	10 / 1.66	5850
9.50-20	TR15, TR15CW	10 / 1.66	5850
10.00-20	TR15, TR15CW	9 / 1.66	5265



AG. TRACTOR TUBES

SIZE	APPLIED VALVES	POLY BAG + CARTON	
		PCS / CFT	PCS / 20'
10-15.3	TR13, TR15	16 / 1.66	9360
11.5/80-15.3	TR13, TR15	16 / 1.66	9360
11.5/7.00-15	TR13, TR15	16 / 1.66	9360
12.5/80-15.3	TR13, TR15	16 / 1.66	9360
12-16.5	TR13, TR15	16 / 1.66	9360
31*12.5-15	TR218A	16 / 1.66	9360

REGULAR AND EXTREME HEAVY TUBES ARE AVAILABLE ACCORDING TO CUSTOMERS REQUEST



REGULAR



HEAVY DUTY



EXTREME HD






FLAP

POLY BAG PCS / CFT

6.00-9	100 / 2.03
6.50-16	10 / 1.19
7.00-16	10 / 1.19
7.50-16	10 / 1.19
8.25-16	10 / 1.43
9.00-16	10 / 1.43
7.50-20	5 / 1.42
8.25-20	5 / 1.42
9.00-20	5 / 1.52
10.00-20	5 / 1.52
11.00-20	5 / 1.68
12.00-20	5 / 1.68



PACKING FLOW CHART



TUBE CATEGORY

APPLIED VALVE TYPE

ATV TUBES	TR6 JS87P
SCOOTER TUBES	TR4 JS87 JS87C
MOTORCYCLE TUBES	TR4 TR6
FORK LIFTER TUBES	TR75A JS2
SKID STREER TUBES	TR15 TR75A TR177A JS2
LAWN MOVER & GARDEN TUBES	TR13 JS87 JS87P DIN7777 DIN7768 TR6 VAR-32R
TRAILER TUBES	TR13 TR15 JS87 JS2 TR87
GO KART TUBES	TR13 JS87
RADIAL PASSENGER CAR TUBES	TR13 TR15 TR13HD
RADIAL LIGHT TRUCK AND BUS TUES	TR13 TR15 TR75A TR177A V3-02-8
ULTRA LIGHT TRUCK	TR13 JS87C
LIGHT TRUCK AND BUS TUBES	TR13 TR15 TR75A TR175A TR77A TR177A TR78A TR179A V3-02-8 V3-02-14 TR443 TR444
AG. TRACTOR TUBES	TR13 TR13CW TR15 TR15CW TR150 TR218A JS87 JS87C TR75A TR177A TR444
NEW AG TRACTOR TUBES	TR218A

VALE PICTUER





GOODTIME RUBBER CO., LTD
MADE IN VIETNAM

Factory



Road 12, Trang Bang Industrial Park
Tay Ninh Province, Vietnam.

CONTACT INFORMATION:

